

Fansipan Patio Furniture JSC

Head Office: No.45 - 392 Street - Ke Sat - Binh Giang - Hai Duong - Vietnam

Ho Chi Minh City Branch: 2BIS - 1A Route - Trung My Tay - District 12 - Ho

Chi Minh City - Vietnam

Factory: Km.18 - 394 Street - Tan Hong - Binh Giang - Hai Duong - Vietnam

Hotline: 02203 776 269

Mobile Phone: 0936 258 088

Fax: 03203 779 309

Contact E-mail: contact@ngoaithatfansipan.com

Email (bussiness requires only): ngoaithatfansipan@gmail.com

Website: www.ngoaithatfansipan.com



ontents:

Our Products	.05
Fansipan Patio	
Chair	
Patio Chair-01	.09
Patio Chair-02	.10
Table	
Patio Table-01	.11
Patio Table-02	.12
Patio Table-03	.13
Fansipan Kite	
Chair	
Kite Chair	.15
Table	
Kite Table-01	.16
Kite Table-02	.17
Fansipan Moon	
Chair	
Moon Chair	.19
Table	
Moon Table	.20

Fansipan Valley Chair Valley Chair-01 .22 Valley Chair-02 .23 **Table** Valley Table-01 .24 Valley Table-02 .25 Valley Table-03 .26 Valley Table-04 .27 Iron Furniture Chair Iron Chair .29 **Table** Iron Table .30 **Deck Tile** Deck Tile 12 Slats .32

Our Products

Fansipan Patio

Luxurious - Delicate - Modern

Chair: 420 x 340 x 860mm

Foldable

Table: 550 x 550 x 750mm or 1000 x 660 x 750mm

Foldable





Fansipan Kite

Soft Design - Solid Structure - Perfect Quality

Chair: 420 x 340 x 860mm

Stackable

Table: 550 x 550 x 750 mm

DIY

Our Products

Fansipan Moon

Enhance Using Experience - Level Affirmation - Compatibility

Chair: 420 x 340 x 860mm

Stackable

Table: 550 x 550 x 750mm

DIY





Fansipan Valley

Comfort - Durability - Ultimate Quality

Chair: 420 x 360 x 860mm

Stackable

Table: 600 x 600 x 750mm

or 1000 x 660 x 750mm

or D=640mm x 750mm

or D=800mm x 750mm

DIY

Our Products

Iron Furniture

Diversify - Outstanding Quality - Colorful

Chair: 420 x 340 x 860mm

Foldable

Table: 550 x 550 x 750mm

Foldable





Deck Tile

Balanced Combination - Conveniece - Uniformnity

Deck Tile: 300 x 300 x 19/24mm

DIY



420 mm 340 mm Colour Black 460 mm 860 mm

Wood Quality

Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot. Humidity <14%.

Wood slats smoothened by 320 grid sandpapers. 04 rounded corners R6, 08 rounded edges R2.

Soaked in finising oil 03 times. A layer of waterproof and UV-resistant oil cover. Anti-termite. Anti-mold. Waterproof.

Iron Frame Quality

Durable 10 x 20mm, 1.2mm-thick oval rectangle iron pipes. Electrostatic powder-coated.

Patio Chair-01

neatly *Foldable*.



Seat & Backrest

Classically straight seat and backrest. Bent top rail and apron along user's touchpoints.

Wood slats in isosceles trapezoid layout.

Riveted backrest.



420 mm 340 mm Colour Black 860 mm 460 mm

Patio Chair-02



Seat & Backrest

More comfort with curved seat and backrest.

Durably riveted backrest.

Bent top rail and apron along users' touchpoints.

Wood slats in isosceles trapezoid layout.

Wood Quality

Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot. Humidity <14%.


Wood slats smoothened by 320 grid sandpapers. 04 rounded corners R6, 08 rounded edges R2.

Soaked in finising oil 03 times. A layer of waterproof and UV-resistant oil cover.

Anti-termite. Anti-mold. Waterproof.

Iron Frame Quality

Durable 10 x 20mm, 1.2mm-thick oval rectangle iron pipes. Electrostatic powder-coated.



550mm 550mm 750mm Colour

Patio Table-01

Table top

24mm-thick square slat table top covered by a frame with 60mm in width and 04 rounded corners. Straight and diagonal slats layout. Space between two slats: 10mm.





Wood Quality

Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot. Humidity <14%.

Wood slats smoothened by 320 grid sandpapers. 04 rounded corners R6, 08 rounded edges R2.

Soaked in finising oil 03 times. A layer of waterproof and UV-resistant oil cover.

Anti-termite. Anti-mold. Waterproof.

Iron Frame Quality

Durable 10 x 20mm, 1.2mm-thick oval rectangle iron pipes. Electrostatic powder-coated.





Foldable.

550 mm 550 mm Colour 750 mm Black

Patio Table-02

Table top

Made from 08 12mm-thick wood slats with 60mm in width and 550 mm in length (one slat).

Every slat has 04 rounded corners R2, 08 rounded edges R12.

Space between slats: 10mm.



Wood Quality

Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot. Humidity <14%.

Soaked in finising oil 03 times. A layer of waterproof and UV-resistant oil cover.

Anti-termite. Anti-mold. Waterproof.

Iron Frame Quality

Durable 10 x 20mm, 1.2mm-thick oval rectangle iron pipes. Electrostatic powder-coated.



As a part of Fansipan Patio product line, *it's foldable*.

1000 mm 600 mm Colour 750 mm

Black

Patio Table-03

Table top

Bigger and more using space with 24mm-thick, 1000 x 600mm rectangle slat table top.

Covered by a frame with 60mm in width and 04 rounded corners.

Straight slats layout.

Space between slats: 10mm.



Foldable.

Wood Quality

Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot. Humidity <14%.

Wood slats smoothened by 320 grid sandpapers. 04 rounded corners R6, 08 rounded edges R2.

Soaked in finising oil 03 times. A layer of waterproof and UV-resistant oil cover. Anti-termite. Anti-mold. Waterproof.

Iron Frame Quality

Durable 10 x 20mm, 1.2mm-thick oval rectangle iron pipes. Electrostatic powder-coated.





Fansipan Kite





Stackable. easy for transportation & tidying up

Kite Chair

Backrest & Seat

Curved backrest and straight seat.

Bent top rail and apron along user's touchpoints.

Durably rivoted backrest

Durably riveted backrest.
Wood slats in isosceles trapezoid layout.



Wood Quality

Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot. Humidity <14%.

Wood slats smoothened by 320 grid sandpapers. 04 rounded corners R6, 08 rounded edges R2.

Soaked in finising oil 03 times. A layer of waterproof and UV-resistant oil cover.

Anti-termite. Anti-mold. Waterproof.

Iron Frame Quality

Durable D = 21mm, 1.2mm-thick round iron pipes. Electrostatic powder-coated.



Overflow-designed wood slats' borders in the seat.

Fansipan Kite



Wood Quality

Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot. Humidity <14%.

Wood slats smoothened by 320 grid sandpapers. 04 rounded corners R6, 08 rounded edges R2.

Soaked in finising oil 03 times. A layer of waterproof and UV-resistant oil cover.

Iron Frame Quality

Durable D = 21mm, 1.2mm-thick round iron pipes. Electrostatic powder-coated.

Kite Table-01

Table top

24mm-thick square slat table top covered by a frame with 60mm in width and 04 rounded corners.



DIY

Easy to set up.

Tools and installation guides are in the package.



- Waterproof - Anti-mold. Anti-termite.

Fansipan Kite

550mm Colour 750mm Black

Kite Table-02

Table top

24mm-thick square solid table top covered by a frame with 60mm in width and 04 rounded corners.



Wood Quality

Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot. Humidity <14%.

Wood slats smoothened by 320 grid sandpapers. 04 rounded corners R6, 08 rounded edges R2.

Soaked in finising oil 03 times. A layer of waterproof and UV-resistant oil cover.

Iron Frame Quality

Durable D = 21mm, 1.2mm-thick round iron pipes. Electrostatic powder-coated.





DIY

Easy to set up.

Tools and installation guides are in the package.



Fansipan Moon



Colour

860 mm



Black Hammerton

Moon Chair



Wood Quality

Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot. Humidity <14%.

Wood slats smoothened by 320 grid sandpapers. 04 rounded corners R6, 08 rounded edges R2.

Iron Frame Quality

Durable 14 x 24mm, 1.2mm-thick oval rectangle iron pipes.

Electrostatic powder-coated.

Stackable.



Description

Curved armests, backrest, and seat.
Durably riveted backrest.
Bent top rail and apron along user's touchpoints.

Fansipan Moon

640mm Colour 750mm Black

Wood Quality

Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot. Humidity <14%.

Wood slats smoothened by 320 grid sandpapers.

Soaked in finishing oil 03 times. A layer of waterproofing and UV-resistant oil cover.

Anti-termite. Anti-mold. Waterproof.

Iron Frame Quality

Durable D = 21mm, 1.2mm-thick round iron pipes. Electrostatic powder-coated.

Moon Table

Table top

24mm-thick, round solid table top. 04 solid wood pieces in symmetric layout.








DIY

Easy to set up.

Tools and installation guides are in the package.





Valley Chair-01



Colour

Natural Acacia

Description

Valley Chair-01 is an armchair completely made of wood.

Comfortably curved armrests, backrest, and seat. Bent top rail along user's touchpoints.

Wood Quality

Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot. Humidity <14%.

Wood slats smoothened by 320 grid sandpapers.

Soaked in finishing oil 03 times. A layer of waterproofing and UV-resistant oil cover.

Anti-termite. Anti-mold. Waterproof.

Stackable.





Valley Chair-02

Description

Valley Chair-02 is completely made of nature wood.

Curved backrest and seat.

Bent top rail and apron along user's touchpoints.

Colour

Natural Acacia



- Stackable -

Wood Quality

Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot. Humidity <14%.

Wood slats smoothened by 320 grid sandpapers.

Soaked in finishing oil 03 times. A layer of waterproofing and UV-resistant oil cover.

Anti-termite. Anti-mold. Waterproof.





Valley Table-01



Colour

Table top & Open shelf

24mm-thick square solid table top covered by a frame with 60mm in width and 04 rounded corners. Convenient rectangle slat open shelf.

Wood Quality

Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot. Humidity <14%.

Wood slats smoothened by 320 grid sandpapers.

Soaked in finishing oil 03 times. A layer of waterproofing and UV-resistant oil cover. Anti-termite. Anti-mold. Waterproof.



Valley Table-02




Table top & Open shelf

Bigger and more seats with 24mm-thick, 1000 x 600mm retangle solid table top covered by a frame with 60mm in width and 04 rounded corners.

Convenient rectangle slat open shelf.



DIY

Easier for delivery and tidying up.

Wood Quality


Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot. Humidity <14%.

Wood slats smoothened by 320 grid sandpapers.

Soaked in finishing oil 03 times. A layer of waterproofing and UV-resistant oil cover.

Anti-termite. Anti-mold. Waterproof.





Valley Table-03

Table top & Open shelf 24mm-thick round solid table top.

04 solid wood pieces in symmetric layout.
Round solid open shelf.



Wood Quality

Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot. Humidity <14%.

Wood slats smoothened by 320 grid sandpapers.

Soaked in finishing oil 03 times. A layer of waterproofing and UV-resistant oil cover.

Anti-termite. Anti-mold. Waterproof.

- DIY -

Tools and installation guides are in the package.

800mm 750mm Colour Natural Acacia

Wood Quality

Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot. Humidity <14%.

Wood slats smoothened by 320 grid sandpapers.

Soaked in finishing oil 03 times. A layer of waterproofing and UV-resistant oil cover.

Anti-termite. Anti-mold. Waterproof.

Valley Table-04

Table top & Open shelf

Experience more using space and seat with big 24mm-thick, 800mm round solid table top.

04 solid wood pieces in symmetric layout.

Even more convenience with round solid open shelf.



DIY

Tools and installation guides are in the package.





Iron Furniture



Iron Furniture




Iron frame quality

Durable 10 x 20mm, 1.2mm-thick oval rectangle iron pipes. Electrostatic powder-coated.

thick round hem to increase beauty, durability, and safety.





Deck 1 Tille 12 Slats



Perfect for floor, balcony, garden, poolside, terrace, and outdoor spaces.





Waterproof



Anti-slip



Anti-termite



Durable



300 x 300 x 19/24 mm

Wood Quality

Over 10-year-old Acacia; taken from a space of 02 meters from the foot. Humidity <14%.

Soaked in finising oil 03 times. A layer of waterproof and UV-resistant oil cover.

Anti-mold.

Base

Flexible and durable interlocking plastic base.



InterlockingDIY, easy to install, no need any tools.

