





Fansipan Patio Furniture JSC

Head Office: No.45 - 392 Street - Ke Sat - Binh Giang - Hai Duong - Vietnam

Ho Chi Minh City Branch: No.633 - To Ky Street - Trung My Tay - District 12 -
Ho Chi Minh City - Vietnam

Factory: Km.18 - 394 Street - Tan Hong - Binh Giang - Hai Duong - Vietnam

Hotline: 02203 776 269

Mobile Phone: 0936 258 088

Fax: 03203 779 309

Contact E-mail: contact@ngoaitthatfansipan.com

Email (business requires only): ngoaitthatfansipan@gmail.com

Website: www.ngoaitthatfansipan.com

PHÒNG
KINH DOANH

Fansipan

Ngoại thất gỗ tự nhiên

Catalogue



Contents:

Our Products .05

Fansipan Patio

Chair

Patio Chair-01 .09

Patio Chair-02 .10

Table

Patio Table-01 .11

Patio Table-02 .12

Patio Table-03 .13

Fansipan Kite

Chair

Kite Chair .15

Table

Kite Table-01 .16

Kite Table-02 .17

Fansipan Moon

Chair

Moon Chair .19

Table

Moon Table .20

Fansipan Valley

Chair

Valley Chair-01 .22

Valley Chair-02 .23

Table

Valley Table-01 .24

Valley Table-02 .25

Valley Table-03 .26

Valley Table-04 .27

Iron Furniture

Chair

Iron Chair .29


Table

Iron Table .30

Deck Tile

Deck Tile 12 Slats .32

Price Information .33



Our Products

Fansipan Patio

Luxurious - Delicate - Modern

Chair: 420 x 340 x 860mm
Foldable

Table: 550 x 550 x 750mm
or 1000 x 660 x 750mm
Foldable



Fansipan Kite

Soft Design - Solid Structure - Perfect Quality

Chair: 420 x 340 x 860mm
Stackable

Table: 550 x 550 x 750mm
DIY

Fansipan Moon

Enhance Using Experience - Level Affirmation - Compatibility

Chair: 420 x 340 x 860mm
Stackable

Table: 550 x 550 x 750mm
DIY



Fansipan Valley

Comfort - Durability - Ultimate Quality

Chair: 420 x 360 x 860mm
Stackable

Table: 600 x 600 x 750mm
or 1000 x 660 x 750mm
or D=640mm x 750mm
or D=800mm x 750mm

DIY

Our Products

Iron Furniture

Diversify - Outstanding Quality - Colorful

Chair: 420 x 340 x 860mm
Foldable

Table: 550 x 550 x 750mm
Foldable



Deck Tile

Balanced Combination - Convenience - Uniformity

Deck Tile: 300 x 300 x 19/24mm
DIY



Fansipan Patio



Patio Chair-01



Colour



neatly *Foldable*.



Wood Quality

Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot.

Humidity <14%.

Wood slats smoothened by 240 grid sandpapers. 04 rounded corners R6,
08 rounded edges R2.

Soaked in finising oil 03 times. A layer of waterproof and UV-resistant oil cover.

Anti-termite. Anti-mold. Waterproof.

Iron Frame Quality

Durable 10 x 20mm, 1.2mm-thick oval rectangle iron pipes.

Electrostatic powder-coated.



Seat & Backrest

Classically straight seat and backrest.

Bent top rail and apron along user's touchpoints.

Wood slats in isosceles trapezoid layout.

Riveted backrest.



Wood Quality

Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot.
Humidity <14%.

Wood slats smoothened by 240 grid sandpapers. 04 rounded corners R6,
08 rounded edges R2.

Soaked in finishing oil 03 times. A layer of waterproof and UV-resistant oil cover.
Anti-termite. Anti-mold. Waterproof.

Iron Frame Quality

Durable 10 x 20mm, 1.2mm-thick oval rectangle iron pipes.
Electrostatic powder-coated.

Patio Chair-02

Seat & Backrest

More comfort with curved seat and backrest.

Durably riveted backrest.

Bent top rail and apron along users' touchpoints.

Wood slats in isosceles trapezoid layout.





Wood Quality

Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot.

Humidity <14%.

Wood slats smoothened by 240 grid sandpapers. 04 rounded corners R6, 08 rounded edges R2.

Soaked in finishing oil 03 times. A layer of waterproof and UV-resistant oil cover. Anti-termite. Anti-mold. Waterproof.

Iron Frame Quality

Durable 10 x 20mm, 1.2mm-thick oval rectangle iron pipes.

Electrostatic powder-coated.

Patio Table-01

Table top

24mm-thick square slat table top covered by a frame with 60mm in width and 04 rounded corners.

Straight and diagonal slats layout.

Space between two slats: 10mm.



Foldable.

Patio Table-02




Table top

Made from 08 12mm-thick wood slats with 60mm in width and 550 mm in length (one slat).

Every slat has 04 rounded corners R2, 08 rounded edges R12. Space between slats: 10mm.



Wood Quality

Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot. Humidity <14%.

Soaked in finising oil 03 times. A layer of waterproof and UV-resistant oil cover. Anti-termite. Anti-mold. Waterproof.

Iron Frame Quality

Durable 10 x 20mm, 1.2mm-thick oval rectangle iron pipes. Electrostatic powder-coated.



As a part of Fansipan Patio product line, *it's foldable.*

Patio Table-03



Colour



Black

Table top

Bigger and more using space with 24mm-thick, 1000 x 600mm rectangle slat table top.

Covered by a frame with 60mm in width and 04 rounded corners.

Straight slats layout.

Space between slats: 10mm.



Foldable.



Wood Quality

Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot.

Humidity <14%.

Wood slats smoothened by 240 grid sandpapers. 04 rounded corners R6,
08 rounded edges R2.

Soaked in finising oil 03 times. A layer of waterproof and UV-resistant oil cover.

Anti-termite. Anti-mold. Waterproof.


Iron Frame Quality

Durable 10 x 20mm, 1.2mm-thick oval rectangle iron pipes.

Electrostatic powder-coated.

Fansipan Kite





Wood Quality

Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot.

Humidity <14%.

Wood slats smoothened by 240 grid sandpapers. 04 rounded corners R6, 08 rounded edges R2.

Soaked in finishing oil 03 times. A layer of waterproof and UV-resistant oil cover. Anti-termite. Anti-mold. Waterproof.

Iron Frame Quality

Durable D = 21mm, 1.2mm-thick round iron pipes.

Electrostatic powder-coated.

Kite Chair

Backrest & Seat

Curved backrest and straight seat. Bent top rail and apron along user's touchpoints.

Durably riveted backrest.

Wood slats in isosceles trapezoid layout.




Stackable.

easy for transportation & tidying up



Overflow-designed wood slats' borders in the seat.

Kite Table-01



Wood Quality

Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot.

Humidity <14%.

Wood slats smoothened by 240 grid sandpapers. 04 rounded corners R6,
08 rounded edges R2.

Soaked in finising oil 03 times. A layer of waterproof and UV-resistant oil cover.

Iron Frame Quality

Durable D = 21mm, 1.2mm-thick round iron pipes.

Electrostatic powder-coated.

Table top
24mm-thick square slat table top
covered by a frame with 60mm in width
and 04 rounded corners.



DIY

Easy to set up.

Tools and installation guides are in the
package.

- Waterproof -
Anti-mold. Anti-termite.

Kite Table-02



Wood Quality

Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot.

Humidity <14%.

Wood slats smoothened by 240 grid sandpapers. 04 rounded corners R6,
08 rounded edges R2.

Soaked in finising oil 03 times. A layer of waterproof and UV-resistant oil cover.

Iron Frame Quality

Durable D = 21mm, 1.2mm-thick round iron pipes.

Electrostatic powder-coated.

Table top
24mm-thick square solid table top
covered by a frame with 60mm in width
and 04 rounded corners.



DIY

Easy to set up.

Tools and installation guides are in the
package.

COFFEE

HONG TRA

Fansipan Moon





Moon Chair

Feature

To meet two primary features of outdoor furniture which are weather endurance and water resistant, natural wood pieces of the Fansipan Moon are dried to avoid mold, anti-termite, and coated by a layer of oil for waterproofing.

Wood Quality

Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot.
Humidity <14%.

Wood slats smoothened by 240 grid sandpapers. 04 rounded corners R6,
08 rounded edges R2.

Iron Frame Quality

Durable 14 x 24mm, 1.2mm-thick oval rectangle iron pipes.
Electrostatic powder-coated.
Stackable.



Description

Curved armrests, backrest, and seat.
Durably riveted backrest.
Bent top rail and apron along user's touchpoints.



Wood Quality

Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot.
Humidity <14%.

Wood slats smoothened by 240 grid sandpapers.
Soaked in finishing oil 03 times. A layer of waterproofing and UV-resistant oil cover.
Anti-termite. Anti-mold. Waterproof.

Iron Frame Quality

Durable D = 21mm, 1.2mm-thick round iron pipes.
Electrostatic powder-coated.

Moon Table

Table top

24mm-thick, round solid table top.
04 solid wood pieces in symmetric layout.




DIY

Easy to set up.
Tools and installation guides are in the package.

A photograph of a wooden outdoor dining set consisting of a square table and four armchairs, arranged on a light-colored concrete patio. The furniture is made of a medium-brown wood with a slatted design. In the background, there is a lush garden with various green plants, including a citrus tree with fruit, and a red brick path. A metal railing is visible in the distance. The text "Fansipan Valley" is overlaid in a white, italicized font with a horizontal line through it.

Fansipan Valley

Valley Chair-01



Wood Quality

Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot.

Humidity <14%.

Wood slats smoothened by 240 grid sandpapers.

Soaked in finishing oil 03 times. A layer of waterproofing and UV-resistant oil cover.

Anti-termite. Anti-mold. Waterproof.




Description

Valley Chair-01 is an armchair completely made of wood. Comfortably curved armrests, backrest, and seat. Bent top rail along user's touchpoints.

Stackable.





Colour



Natural Acacia

Valley Chair-02

Description

Valley Chair-02 is completely made of nature wood.

Curved backrest and seat.

Bent top rail and apron along user's touchpoints.



- Stackable -

Wood Quality

Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot.

Humidity <14%.


Wood slats smoothened by 240 grid sandpapers.

Soaked in finishing oil 03 times. A layer of waterproofing and UV-resistant oil cover.

Anti-termite. Anti-mold. Waterproof.



Valley Table-01



Colour
Natural Acacia



Table top & Open shelf
24mm-thick square solid table top covered by a frame with 60mm in width and 04 rounded corners.
Convenient rectangle slat open shelf.

Wood Quality

Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot.

Humidity <14%.

Wood slats smoothened by 240 grid sandpapers.

Soaked in finishing oil 03 times. A layer of waterproofing and UV-resistant oil cover.

Anti-termite. Anti-mold. Waterproof.



Valley Table-02



Colour



Natural Acacia

Wood Quality

Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot.

Humidity <14%.

Wood slats smoothened by 240 grid sandpapers.

Soaked in finishing oil 03 times. A layer of waterproofing and UV-resistant oil cover.

Anti-termite. Anti-mold. Waterproof.

Table top & Open shelf

Bigger and more seats with 24mm-thick, 1000 x 600mm rectangle solid table top covered by a frame with 60mm in width and 04 rounded corners.

Convenient rectangle slat open shelf.



DIY

Easier for delivery and tidying up.



Valley Table-03



Colour
Natural Acacia

Table top & Open shelf

24mm-thick round solid table top.

04 solid wood pieces in symmetric layout.

Round solid open shelf.



Wood Quality

Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot.

Humidity <14%.

Wood slats smoothened by 240 grid sandpapers.


Soaked in finishing oil 03 times. A layer of waterproofing and UV-resistant oil cover.

Anti-termite. Anti-mold. Waterproof.

- DIY -

Tools and installation guides are in the package.

Valley Table-04



Wood Quality

Over 10-year-old, no-knot Acacia; taken from a space of 02 meters from the foot.

Humidity <14%.

Wood slats smoothened by 240 grid sandpapers.

Soaked in finishing oil 03 times. A layer of waterproofing and UV-resistant oil cover.

Anti-termite. Anti-mold. Waterproof.

Table top & Open shelf
Experience more using space and seat with big 24mm-thick, 800mm round solid table top.
04 solid wood pieces in symmetric layout.
Even more convenience with round solid open shelf.



DIY

Tools and installation guides are in the package.



IRON FURNITURE

Iron Furniture





Colour

White crayon

Orange

Light green

Iron slats quality

1mm-thick iron slats. The edges of iron pipes are bent backward, create a 2.5mm-thick round hem to increase beauty, durability, and safety.

Iron frame quality

Durable 10 x 20mm, 1.2mm-thick oval rectangle iron pipes.
Electrostatic powder-coated.


Iron Chair

Seat & Backrest

Comfortably curved seat and backrest.
Bent top rail and apron along user's touchpoints.



Foldable.



Iron slats quality

1mm-thick iron slats. The edges of iron pipes are bent backward, create a 2.5mm-thick round hem to increase beauty, durability, and safety.

Iron frame quality

Durable 10 x 20mm, 1.2mm-thick oval rectangle iron pipes.
Electrostatic powder-coated.

Iron Table

Table top
07-slat table top.
Rounded slats' corners.



Foldable.



Deck Tile

Deck Tile 12 Slats



Size

300 x 300 x 19/24 mm

Wood Quality

Over 10-year-old Acacia; taken from a space of 02 meters from the foot.

Humidity <14%.

Soaked in finishing oil 03 times. A layer of waterproof and UV-resistant oil cover.

Anti-mold.

Base

Flexible and durable interlocking plastic base.

Perfect for floor, balcony, garden, poolside, terrace, and outdoor spaces.



Waterproof



Anti-slip



Anti-termite



Durable



Interlocking

DIY, easy to install, no need any tools.



Price Information

The prices mentioned above are ex work prices (EXW) **NOT** include packaging prices, delivery prices, customs fees because of the following reasons:

1. BUYER can customize packages. Fasipan Patio Furniture JSC will buy and respond the packaging prices.
2. The container packing prices, delivery prices (to Hai Phong Port), customs fees depend on the quantity of product per one container and the purchase order. Fasipan Patio Furniture JSC will respond to the BUYER the total price.

*Thanks for your interest in our products.
It is our honor to become your partner!*

